

Page 1 of 11 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 25.06.2020 / 0014 Replacing version dated / version: 10.10.2019 / 0013 Valid from: 25.06.2020 PDF print date: 10.02.2021 Silikondichtmasse schwarz

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Silikondichtmasse schwarz

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Silicone sealant Sector of use [SU]:

അ

SU 3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

SU21 - Consumer uses: Private households (=general public = consumers)

SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Chemical product category [PC]:

PC 1 - Adhesives, sealants

Process category [PROC]:

PROC 8a - Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC 8b - Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC 9 - Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC10 - Roller application or brushing

Article Categories [AC]: AC99 - Not required.

Environmental Release Category [ERC]:

ERC 4 - Use of non-reactive processing aid at industrial site (no inclusion into or onto article)

ERC 7 - Use of functional fluid at industrial site

ERC 8a - Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)

ERC 8d - Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet

LIQUI MOLY GmbH Jerg-Wieland-Str. 4 89081 Ulm-Lehr Tel.: (+49) 0731-1420-0 Fax: (+49) 0731-1420-88

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (LMR)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) 1272/2008 (CLP) The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).



Page 2 of 11

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 25.06.2020 / 0014 Replacing version dated / version: 10.10.2019 / 0013 Valid from: 25.06.2020 PDF print date: 10.02.2021 Silikondichtmasse schwarz

2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)

EUH208-Contains 3-aminopropyltriethoxysilane. May produce an allergic reaction. EUH210-Safety data sheet available on request.

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0.1 %).

SECTION 3: Composition/information on ingredients

3.1 Substances

n.a. 3.2 Mixtures

5 - the A. A. Hardwell 5 Management A - the second A. A. Hardwell A. Hardwell A. Hardwell A. Hardwell A. Hardwell A. A. Hardwell A. A. Hardwell A. H	
5-ethyl-2,8-dimethyl-5-[(propan-2-ylideneamino)oxy]-4,6-dioxa-3,7-diaza-	
5-silanona-2,7-diene	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP	611-631-1 (REACH-IT List-No.)
CAS	58190-57-1
content %	1-<3
Classification according to Regulation (EC) 1272/2008 (CLP)	STOT RE 2, H373

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Wipe off residual product carefully with a soft, dry cloth.

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting - give copious water to drink. Consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

coughing

Allergic reaction

4.3 Indication of any immediate medical attention and special treatment needed Symptomatic treatment.



Page 3 of 11 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 25.06.2020 / 0014 Replacing version dated / version: 10.10.2019 / 0013 Valid from: 25.06.2020 PDF print date: 10.02.2021 Silikondichtmasse schwarz

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Adapt to the nature and extent of fire. Water jet spray/foam/CO2/dry extinguisher

Unsuitable extinguishing media

High volume water jet

ആ

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon Oxides of nitrogen Formaldehyde Toxic gases

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary. Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure sufficient supply of air. Avoid contact with eyes or skin. If applicable, caution - risk of slipping.

6.2 Environmental precautions

If leakage occurs, dam up. Resolve leaks if this possible without risk. Prevent surface and ground-water infiltration, as well as ground penetration. Prevent from entering drainage system. If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Pick up mechanically and dispose of according to Section 13.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations Ensure good ventilation.

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs. Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Do not store with oxidizing agents.

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Protect from direct sunlight and warming.



Page 4 of 11

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 25.06.2020 / 0014 Replacing version dated / version: 10.10.2019 / 0013 Valid from: 25.06.2020 PDF print date: 10.02.2021 Silikondichtmasse schwarz

Do not store with oxidizing agents. Do not store with acids. Store in a dry place.

7.3 Specific end use(s) No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Chemical Name	Quartz		Content %:			
WEL-TWA: 0,1 mg/m3 (silica, resp	pirable, crystalline)	WEL-STEL:				
Monitoring procedures:		INSHT MTA/MA-036/A00 (Determination of Quartz in Air - I	Membrane Filter Method/			
	-	Xray Diffraction) - 2000, 2004				
		MDHS 101/2 (Crystalline silica in respirable airborne dust -	Direct on-filter analysis by			
		infrared spectroscopy and X-ray diffraction) - 2015 - EU proj				
	-	BC/CEN/ENTR/000/2002-16 card 52-1 (2004)				
		NIOSH 7500 (Crystalline Silica, by XRD (filter redeposition))	- 2003 - ELL project			
	-	BC/CEN/ENTR/000/2002-16 card 52-6 (2004)				
	- NIOSH 7601 (SILICA, CRYSTALLINE, by VIS) - 2003					
	-	NIOSH 7602 (Crystalline Silica, by IR (KBr pellet)) - 2003				
	-	NIOSH 7603 (QUARTZ in coal mine dust, by IR (redepositio				
	-	OSHA ID-142 (Quartz and Cristobalite in Workplace Atmosp	oneres) - 2016			
BMGV:		Other information:				
Chemical Name	Silica, amorphou	ŝ	Content %:			
WEL-TWA: 6 mg/m3 (total inh. du		WEL-STEL:				
(resp. dust)	,,, · · · · ·g, · · · ·					
Monitoring procedures:			·			
BMGV:		Other information:				
E sthud 2.0 dimethod 5 [/monon 2]	vilido no omino) ovu	1-4 6-dioxa-3 7-diaza-5-silanona-2 7-diene				

Area of application	Exposure route / Environmental compartment	Effect on health	Descriptor	Value	Unit	Note
	Environment - freshwater		PNEC	0,23978	mg/l	
	Environment - sediment		PNEC	0,02398	mg/l	
	Environment - sediment, freshwater		PNEC	2047,05 3	mg/kg	
	Environment - sediment, marine		PNEC	204,705	mg/kg	
	Environment - air		PNEC	240,95	mg/kg	
	Environment - sewage treatment plant		PNEC	2,398	mg/l	
	Environment - oral (animal feed)		PNEC	2,638	g/kg feed	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	0,10322	mg/m3	
Consumer	Human - dermal	Long term, systemic effects	DNEL	0,02968	mg/kg bw/day	
Consumer	Human - oral	Long term, systemic effects	DNEL	0,02968	mg/kg bw/day	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	0,41857	mg/m3	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	0,05935	mg/kg bw/day	

B WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).

(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine



Page 5 of 11 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 25.06.2020 / 0014 Replacing version dated / version: 10.10.2019 / 0013 Valid from: 25.06.2020 PDF print date: 10.02.2021 Silikondichtmasse schwarz

(Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period). (8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer"

Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision. (13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection: Protective nitrile gloves (EN 374). Minimum layer thickness in mm:

> 0.1

ആ

Permeation time (penetration time) in minutes:

> 60

Protective hand cream recommended.

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: Normally not necessary.

Thermal hazards: Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties



Page 6 of 11

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 25.06.2020 / 0014 Replacing version dated / version: 10.10.2019 / 0013 Valid from: 25.06.2020 PDF print date: 10.02.2021 Silikondichtmasse schwarz

9.1 Information on basic physical and chemical properties

Physical state: Colour: Odour: Odour threshold: pH-value: Melting point/freezing point: Initial boiling point and boiling range: Flash point: Evaporation rate: Flammability (solid, gas): Lower explosive limit: Upper explosive limit: Vapour pressure: Vapour density (air = 1): Density: Bulk density: Solubility(ies): Water solubility: Partition coefficient (n-octanol/water): Auto-ignition temperature: Decomposition temperature: Viscosity: Explosive properties: Oxidising properties:

9.2 Other information

Miscibility: Fat solubility / solvent: Conductivity: Surface tension: Solvents content:

Paste, liquid. According to specification Characteristic Not determined ~1,2 g/cm3 n.a. Not determined Insoluble Not determined Not determined Not determined Not determined Product is not explosive. No

Not determined Not determined Not determined Not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

The product has not been tested. **10.2 Chemical stability** Stable with proper storage and handling. **10.3 Possibility of hazardous reactions** No dangerous reactions are known.

10.4 Conditions to avoid

See also section 7.

Heating, open flame, ignition sources **10.5 Incompatible materials**

See also section 7.

Avoid contact with strong oxidizing agents. Avoid contact with strong acids.

10.6 Hazardous decomposition products

See also section 5.2

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification).

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	-					n.d.a.
Acute toxicity, by dermal route:						n.d.a.



n.d.a.

n.d.a.

- (GB)						
Page 7 of 11						
Safety data sheet according	to Regulation (FC) No 1907	/2006, Annex II			
Revision date / version: 25.0		,	2000, /			
Replacing version dated / ve		/ 0013				
Valid from: 25.06.2020		, 0010				
PDF print date: 10.02.2021						
Silikondichtmasse schwarz						
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:						n.d.a.
Serious eye damage/irritation	n:					n.d.a.
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity	-					n.d.a.
single exposure (STOT-SE):						
Specific target organ toxicity						n.d.a.
repeated exposure (STOT-R						
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.
			I			
5-ethyl-2,8-dimethyl-5-[(pro	opan-2-ylideneam	ino)oxy]·	4,6-dioxa-3,7-dia	za-5-silanona-2,7-die	ene	
Toxicity / effect	Endpoint	Value		Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>2500	mg/kg	Rat	OECD 423 (Acute Oral	Female
					Toxicity - Acute Toxic	
					Class Method)	
Acute toxicity, by dermal rou	te: LD50	>2000	mg/kg	Rat	OECD 402 (Acute	Analogous
					Dermal Toxicity)	conclusion
Skin corrosion/irritation:				Human being	OECD 439 (In Vitro Skin	Not irritant
					Irritation -	
					Reconstructed Human	
					Epidermis Test Method)	
Serious eye damage/irritation	n:			Rabbit	OECD 405 (Acute Eye	Not irritant
					Irritation/Corrosion)	
Respiratory or skin				Mouse	Irritation/Corrosion) OECD 429 (Skin	No (skin contact)
						No (skin contact)
Respiratory or skin					OECD 429 (Skin	No (skin contact)
Respiratory or skin					OECD 429 (Skin Sensitisation - Local Lymph Node Assay) OECD 473 (In Vitro	No (skin contact)
Respiratory or skin sensitisation:					OECD 429 (Skin Sensitisation - Local Lymph Node Assay)	
Respiratory or skin sensitisation:					OECD 429 (Skin Sensitisation - Local Lymph Node Assay) OECD 473 (In Vitro	
Respiratory or skin sensitisation:					OECD 429 (Skin Sensitisation - Local Lymph Node Assay) OECD 473 (In Vitro Mammalian Chromosome Aberration Test)	
Respiratory or skin sensitisation: Germ cell mutagenicity: Specific target organ toxicity	- NOAEL	11,87	mg/kg		OECD 429 (Skin Sensitisation - Local Lymph Node Assay) OECD 473 (In Vitro Mammalian Chromosome	
Respiratory or skin sensitisation: Germ cell mutagenicity:	- NOAEL	11,87	mg/kg bw/d	Mouse	OECD 429 (Skin Sensitisation - Local Lymph Node Assay) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 408 (Repeated Dose 90-Day Oral	Negative
Respiratory or skin sensitisation: Germ cell mutagenicity: Specific target organ toxicity	- NOAEL	11,87		Mouse	OECD 429 (Skin Sensitisation - Local Lymph Node Assay) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 408 (Repeated	Negative
Respiratory or skin sensitisation: Germ cell mutagenicity: Specific target organ toxicity repeated exposure (STOT-R	- NOAEL	11,87		Mouse	OECD 429 (Skin Sensitisation - Local Lymph Node Assay) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 408 (Repeated Dose 90-Day Oral	Negative
Respiratory or skin sensitisation: Germ cell mutagenicity: Specific target organ toxicity repeated exposure (STOT-R	- NOAEL	11,87		Mouse	OECD 429 (Skin Sensitisation - Local Lymph Node Assay) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in	Negative
Respiratory or skin sensitisation: Germ cell mutagenicity: Specific target organ toxicity repeated exposure (STOT-R oral:	- NOAEL	11,87		Rat	OECD 429 (Skin Sensitisation - Local Lymph Node Assay) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in	Negative
Respiratory or skin sensitisation: Germ cell mutagenicity: Specific target organ toxicity repeated exposure (STOT-R oral:	- NOAEL	11,87	bw/d	Mouse	OECD 429 (Skin Sensitisation - Local Lymph Node Assay) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in	Negative
Respiratory or skin sensitisation: Germ cell mutagenicity: Specific target organ toxicity repeated exposure (STOT-R oral:	- NOAEL E),		bw/d	Rat	OECD 429 (Skin Sensitisation - Local Lymph Node Assay) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	Negative Analogous conclusion
Respiratory or skin sensitisation: Germ cell mutagenicity: Specific target organ toxicity repeated exposure (STOT-R oral: Quartz Toxicity / effect	- NOAEL E),		bw/d	Rat	OECD 429 (Skin Sensitisation - Local Lymph Node Assay) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	Negative Analogous conclusion
Respiratory or skin sensitisation: Germ cell mutagenicity: Specific target organ toxicity repeated exposure (STOT-R oral: Quartz Toxicity / effect	- NOAEL E),		bw/d	Rat	OECD 429 (Skin Sensitisation - Local Lymph Node Assay) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	Negative Analogous conclusion Notes respiratory
Respiratory or skin sensitisation: Germ cell mutagenicity: Specific target organ toxicity repeated exposure (STOT-R oral: Quartz Toxicity / effect	- NOAEL E),		bw/d	Rat	OECD 429 (Skin Sensitisation - Local Lymph Node Assay) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	Negative Analogous conclusion Notes respiratory distress,
Respiratory or skin sensitisation: Germ cell mutagenicity: Specific target organ toxicity repeated exposure (STOT-R oral: Quartz Toxicity / effect	- NOAEL E),		bw/d	Rat	OECD 429 (Skin Sensitisation - Local Lymph Node Assay) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	Negative Analogous conclusion Notes respiratory distress, coughing,
Respiratory or skin sensitisation: Germ cell mutagenicity: Specific target organ toxicity repeated exposure (STOT-R oral: Quartz Toxicity / effect	- NOAEL E),		bw/d	Rat	OECD 429 (Skin Sensitisation - Local Lymph Node Assay) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	Negative Analogous conclusion Notes respiratory distress, coughing, mucous
Respiratory or skin sensitisation: Germ cell mutagenicity: Specific target organ toxicity repeated exposure (STOT-R oral: Quartz Toxicity / effect	- NOAEL E),		bw/d	Rat	OECD 429 (Skin Sensitisation - Local Lymph Node Assay) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	Negative Analogous conclusion Notes respiratory distress, coughing, mucous membrane
Respiratory or skin sensitisation: Germ cell mutagenicity: Specific target organ toxicity repeated exposure (STOT-R oral: Quartz Toxicity / effect	- NOAEL E), Endpoint	Value	Unit	Mouse Rat Organism	OECD 429 (Skin Sensitisation - Local Lymph Node Assay) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) Test method	Negative Analogous conclusion Notes respiratory distress, coughing, mucous membrane
Respiratory or skin sensitisation: Germ cell mutagenicity: Specific target organ toxicity repeated exposure (STOT-R oral: Quartz Toxicity / effect	- NOAEL E), Endpoint	Value	Unit	Rat	OECD 429 (Skin Sensitisation - Local Lymph Node Assay) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) Test method	Negative Analogous conclusion Notes respiratory distress, coughing, mucous membrane
Respiratory or skin sensitisation: Germ cell mutagenicity: Specific target organ toxicity repeated exposure (STOT-R oral: Quartz Toxicity / effect Symptoms:	Endpoint	Value	Unit	Mouse Rat Organism gical informat	OECD 429 (Skin Sensitisation - Local Lymph Node Assay) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) Test method	Negative Analogous conclusion Notes respiratory distress, coughing, mucous membrane
Respiratory or skin sensitisation: Germ cell mutagenicity: Specific target organ toxicity repeated exposure (STOT-R oral: Quartz Toxicity / effect Symptoms:	Endpoint Endpoint	Value	Unit	Mouse Rat Organism gical informat	OECD 429 (Skin Sensitisation - Local Lymph Node Assay) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) Test method	Negative Analogous conclusion Notes respiratory distress, coughing, mucous membrane
Respiratory or skin sensitisation: Germ cell mutagenicity: Specific target organ toxicity repeated exposure (STOT-R oral: Quartz Toxicity / effect Symptoms:	Endpoint Endpoint SI	Value	Unit Unit N 12: Ecolo Section 2.1 (class	Mouse Rat Organism gical informat sification).	OECD 429 (Skin Sensitisation - Local Lymph Node Assay) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) Test method	Negative Analogous conclusion Notes respiratory distress, coughing, mucous membrane irritation
Respiratory or skin sensitisation: Germ cell mutagenicity: Specific target organ toxicity repeated exposure (STOT-R oral: Quartz Toxicity / effect Symptoms: Possibly more information or Silikondichtmasse schwar Toxicity / effect	Endpoint Endpoint SI	Value	Unit	Mouse Rat Organism gical informat	OECD 429 (Skin Sensitisation - Local Lymph Node Assay) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) Test method	Negative Analogous conclusion Notes respiratory distress, coughing, mucous membrane irritation
Respiratory or skin sensitisation: Germ cell mutagenicity: Specific target organ toxicity repeated exposure (STOT-R oral: Quartz Toxicity / effect Symptoms: Possibly more information or Silikondichtmasse schwar Toxicity / effect I 12.1. Toxicity to fish:	Endpoint Endpoint SI	Value	Unit Unit N 12: Ecolo Section 2.1 (class	Mouse Rat Organism gical informat sification).	OECD 429 (Skin Sensitisation - Local Lymph Node Assay) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) Test method	Negative Analogous conclusion Notes respiratory distress, coughing, mucous membrane irritation
Respiratory or skin sensitisation: Germ cell mutagenicity: Specific target organ toxicity repeated exposure (STOT-R oral: Quartz Toxicity / effect Symptoms: Possibly more information or Silikondichtmasse schwar Toxicity / effect I2.1. Toxicity to fish: 12.1. Toxicity to daphnia:	Endpoint Endpoint SI	Value	Unit Unit N 12: Ecolo Section 2.1 (class	Mouse Rat Organism gical informat sification).	OECD 429 (Skin Sensitisation - Local Lymph Node Assay) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) Test method	Negative Analogous conclusion Notes respiratory distress, coughing, mucous membrane irritation
Respiratory or skin sensitisation: Germ cell mutagenicity: Specific target organ toxicity repeated exposure (STOT-R oral: Quartz Toxicity / effect Symptoms: Possibly more information or Silikondichtmasse schwar Toxicity / effect I 12.1. Toxicity to fish:	Endpoint Endpoint SI	Value	Unit Unit N 12: Ecolo Section 2.1 (class	Mouse Rat Organism gical informat sification).	OECD 429 (Skin Sensitisation - Local Lymph Node Assay) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) Test method	Negative Analogous conclusion Notes respiratory distress, coughing, mucous membrane irritation Notes n.d.a. n.d.a. n.d.a.

12.3. Bioaccumulative potential:

12.4. Mobility in soil:



Page 8 of 11							
Safety data sheet according			07/2006, Ani	nex II			
Revision date / version: 25							
Replacing version dated /	version: 10.10.20	019 / 0013					
Valid from: 25.06.2020							
PDF print date: 10.02.202							
Silikondichtmasse schwar	Z						
12.5. Results of PBT							n.d.a.
and vPvB assessment							1.0.0.
12.6. Other adverse							n.d.a.
effects:							
			1		1		
5-ethyl-2,8-dimethyl-5-[(Γ	1
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	696,76	mg/l	Pimephales	OECD 203 (Fish,	Analogous
					promelas	Acute Toxicity	conclusion
	5050	401	070 70	4		Test)	
12.1. Toxicity to daphnia:	EC50	48h	678,73	mg/l	Daphnia magna	OECD 202	Analogous
						(Daphnia sp.	conclusion
						Acute Immobilisation	
						Test)	
12.1. Toxicity to algae:	EC50	72h	315,36	mg/l	Pseudokirchneriell	OECD 201 (Alga,	Analogous
12.1. TOxicity to algae.	2030	1211	515,50	ing/i	a subcapitata	Growth Inhibition	conclusion
					a Subcapitata	Test)	Conclusion
12.1. Toxicity to algae:	NOEC/NOEL	72h	62,34	mg/l	Pseudokirchneriell	OECD 201 (Alga,	Analogous
,			,-		a subcapitata	Growth Inhibition	conclusion
						Test)	
12.2. Persistence and						OECD 301	Not readily
degradability:						(Ready	biodegradable,
						Biodegradability)	Analogous
							conclusion
Quartz							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.2. Persistence and							Not relevant for
degradability:							inorganic
3							substances.
12.3. Bioaccumulative							Not to be
potential:							expected
12.4. Mobility in soil:							Low
12.5. Results of PBT							No PBT
and vPvB assessment							substance, No
							vPvB substance

SECTION 13: Disposal considerations

13.1 Waste treatment methods For the substance / mixture / residual amounts

EC disposal code no.:

(GB)

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

07 02 17 waste containing silicones other than those mentioned in 07 02 16

08 04 09 waste adhesives and sealants containing organic solvents or other hazardous substances

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. dispose at suitable refuse site.

E.g. suitable incineration plant.

For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information



Page 9 of 11	
Safety data sheet according to Regulation (EC) No 19	07/2006, Annex II
Revision date / version: 25.06.2020 / 0014	
Replacing version dated / version: 10.10.2019 / 0013	
Valid from: 25.06.2020	
PDF print date: 10.02.2021	
Silikondichtmasse schwarz	
General statements	
14.1. UN number:	n.a.
Transport by road/by rail (ADR/RID)	
14.2. UN proper shipping name: 14.3. Transport hazard class(es):	n n
	n.a.
14.4. Packing group: Classification code:	n.a. n.a.
LQ:	n.a.
14.5. Environmental hazards:	Not applicable
Tunnel restriction code:	Not applicable
Transport by sea (IMDG-code)	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	n.a.
14.4. Packing group: Marine Pollutant:	n.a.
14.5. Environmental hazards:	n.a Net emplianda
	Not applicable
Transport by air (IATA)	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	n.a.
14.4. Packing group:	n.a.
14.5. Environmental hazards:	Not applicable
14.6. Special precautions for user	
Unless specified otherwise, general measures for safe	e transport must be followed.
14.7. Transport in bulk according to /	Annex II of MARPOL and the IBC Code
Non-dangerous material according to Transport Regul	
SECTIO	ON 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

General hygiene measures for the handling of chemicals are applicable.

Directive 2012/18/EU ("Seveso III"), Annex I, Part 2 - This product contains the substances listed below:							
Entry Nr	ntry Nr Dangerous substances Notes to Annex I Qualifying quantity Qualifying quantity						
	(tonnes) for the (tonnes) for the						
	application of - Lower-tier application of - Upper-tier						
requirements requirements							
25	Oxygen		200	2000			
The Notes to Annov 1 of Di	ractive 2012/18/ELL in particu	lar those named in the tables	hard and notes 1.6 must be t	akon into account whon			

The Notes to Annex 1 of Directive 2012/18/EU, in particular those named in the tables here and notes 1-6, must be taken into account when assigning categories and qualifying quantities.

Directive 2010/75/EU (VOC):

0 %

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections:

2 - 16

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP): Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H373 May cause damage to organs through prolonged or repeated exposure.



Page 10 of 11 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 25.06.2020 / 0014 Replacing version dated / version: 10.10.2019 / 0013 Valid from: 25.06.2020 PDF print date: 10.02.2021 Silikondichtmasse schwarz

STOT RE — Specific target organ toxicity - repeated exposure

ആ

Any abbreviations and acronyms used in this document:

according, according to acc., acc. to ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOX Adsorbable organic halogen compounds approx. approximately Art., Art. no. Article number ASTM ASTM International (American Society for Testing and Materials) ATE Acute Toxicity Estimate BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BAuA BSEF The International Bromine Council body weight bw CAS **Chemical Abstracts Service** Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances CLP and mixtures) CMR carcinogenic, mutagenic, reproductive toxic DMEL Derived Minimum Effect Level DNEL Derived No Effect Level dw dry weight for example (abbreviation of Latin 'exempli gratia'), for instance e.g. ΕČ European Community ECHA European Chemicals Agency EEC European Economic Community EINECS European Inventory of Existing Commercial Chemical Substances ELINCS European List of Notified Chemical Substances ΕN European Norms EPA United States Environmental Protection Agency (United States of America) etc. et cetera EU European Union EVAL Ethylene-vinyl alcohol copolymer Fax number Fax. gen. general GHS Globally Harmonized System of Classification and Labelling of Chemicals GWP Global warming potential IARC International Agency for Research on Cancer IATA International Air Transport Association IBC (Code) International Bulk Chemical (Code) IMDG-code International Maritime Code for Dangerous Goods including, inclusive incl. IUCLID International Uniform Chemical Information Database IUPAC International Union for Pure Applied Chemistry LC50 Lethal Concentration to 50 % of a test population LD50 Lethal Dose to 50% of a test population (Median Lethal Dose) 10 Limited Quantities MARPOL International Convention for the Prevention of Marine Pollution from Ships not applicable n.a. not available n.av. not checked n.c. n.d.a. no data available OECD Organisation for Economic Co-operation and Development organic org. PBT persistent, bioaccumulative and toxic ΡE Polyethylene PNEC Predicted No Effect Concentration ppm parts per million **PVC** Polyvinylchloride REACHRegistration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)



Page 11 of 11 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 25.06.2020 / 0014 Replacing version dated / version: 10.10.2019 / 0013 Valid from: 25.06.2020 PDF print date: 10.02.2021 Silikondichtmasse schwarz

REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail) SVHC Substances of Very High Concern Tel. Telephone UN RTDG United Nations Recommendations on the Transport of Dangerous Goods VOC Volatile organic compounds vPvB very persistent and very bioaccumulative wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by:

œ

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.